

RECEIVED

NOV 14 2005

Appl. No. 09/759,486

Page 1 of 17

Brief

Brief following Notice of Appeal dated 12 September 2005

Technology Center 2600

**IN THE UNITED STATES PATENT AND TRADEMARK
OFFICE BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Appl. No. : 09/759,486
Appellant(s) : PELLETIER, Daniel
Filed : 12 January 2001
Title : METHOD AND APPARATUS FOR
DETERMINING CAMERA MOVEMENT
CONTROL CRITERIA

TC/A.U. : 2615
Examiner : JONES, Heather R.

Atty. Docket : US 010002

**CERTIFICATE OF MAILING OR
TRANSMISSION**

I certify that this correspondence is being:

☒ deposited with the U.S. Postal
Service with sufficient postage as first-
class mail in an envelope addressed to:
Board of Patent Appeals & Interferences
United States Patent & Trademark Off.
P.O. Box 1450
Alexandria, VA 22313-1450

☐ transmitted by facsimile to the
U.S. Patent and Trademark Office at 703-
872-9318.

On: Nov 7, 2005

By: John C. Fox

APPELLANT'S APPEAL BRIEF

Board of Patent Appeals and Interferences
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

BRIEF OF APPELLANT

This Brief of Appellant follows a Notice of Appeal, dated 12 September 2005, appealing the decision dated 24 June 2005, of the Examiner finally rejecting claims 1, 3-7 and 9-19 of the application. All requisite fees set forth in 37 CFR 1.17(c) for this Brief are hereby authorized to be charged to Deposit Account No. 501,850.

RECEIVED
2005 NOV -9 PM 3:22
BOARD OF PATENT APPEALS
AND INTERFERENCES

REAL PARTY IN INTEREST

The real party in interest in this appeal is the assignee of all rights in and to the subject application, Koninklijke Philips Electronics, N.V. of The Netherlands.

RELATED APPEALS AND INTERFERENCES

To the best of the knowledge of the undersigned, no other appeals or interferences are known to Appellants, Appellants' legal representatives, or assignee which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

STATUS OF CLAIMS

Of the original claims 1-17, claims 1-15 were amended and claims 18 and 19 were added by amendment dated 6 July 2004, claims 1, 7, 18 and 19 were amended and claims 2 and 8 were cancelled by amendment dated 3 March 2005.

Claims 1, 3-7 and 9-19 now stand finally rejected as set forth in the final Office Action dated 24 June 2005, and are the subject of this appeal.

STATUS OF AMENDMENTS

No amendments were offered subsequent to the final Office action. All amendments have been entered.

SUMMARY OF THE CLAIMED SUBJECT MATTER

This invention relates to camera control, and to dynamically determining criteria to be used to control camera movement sequences based on the content of the scene being viewed. (Spec., p.1, para. 1)

Many cinematographic techniques have been developed empirically which achieve a pleasantly viewable recording of a scene or image. Techniques such as the panning duration, zoom degree and speed, and camera tilt angle have been varied and tested to find a panning rate, zoom rate and tilt angle, that achieves an image that is pleasing to an observer. (Spec., p.1, para. 2)

As new innovations enter the cinematographer industry, the cinematographer continues to experiment with different ways of capturing and displaying a scene. For example, different camera angles may be used to capture a scene in order to change a viewer's perspective of the scene. Also, different record times may be used to capture a viewer's attention, or to concentrate the viewer's attention on specific objects in a scene. (Spec., para. bridging pp. 1 and 2)

With this vast amount of experimentation in camera technique development, empirically derived standards have emerged with regard to specific aspects of capturing a scene on film, magnetic tape, or real-time transmittal, for example, in television transmission. These empirically derived standards are well known to the experienced practitioner, but are not generally known to the average or occasional user. Hence, an average or occasional camera user desiring to pan a scene may proceed too quickly or too slowly. The resultant captured image in either case is unpleasant to view as the images are shown

Brief**Brief following Notice of Appeal dated 12 September 2005**

for either too short a period of time or too long a period of time. Thus, to record high quality pleasantly viewable images, a user must devote a considerable amount of time and effort to obtain the skills needed to execute these empirically derived standards. Alternatively, occasional users must seek and employ persons who already have achieved the necessary skills needed to operate camera equipment in accordance with the derived standards. In the former case, the time and effort spent to acquire necessary skills is burdensome and wasteful as the skills must be continuously practiced and updated. In the latter case, skilled personnel are continually needed to perform tasks that are fairly routine and well known. Hence, there is a need to incorporate cinematographic techniques using empirically derived standards into camera equipment that will enable users to produce high quality, pleasantly viewable images without undue burden and experimentation. (Spec., para. bridging pp. 2 and 3)

The present invention incorporates cinematographic procedures with computer rendered representations of images within a scene to create high quality, pleasantly viewable images based on the content of a recorded scene. The present invention comprises a method and apparatus for determining criteria for the automatic control of a known camera. More specifically, a first input is received for selecting at least one known sequence of camera parametrics from a plurality of known sequences of camera parametrics, wherein the selected camera parametrics provide generalized instructions for performing known camera movements. A second input consisting of high level parameters that are representative of objects in a scene are also inputs to the invention. The invention then determines, in response to the high level parameters, criteria to execute the selected known sequence of camera parametrics

Brief

Brief following Notice of Appeal dated 12 September 2005

and provides at least one output for adjusting camera movement in response to the sequence criteria. (Spec., p.3, para. 1; claim 7)

Figure 3a illustrates a flow chart of exemplary processing which further details the steps depicted in Figure 1. In this exemplary processing, a user selects, at block 500, a known camera movement sequence from a list of known camera movement sequences. High-level scene parameters, such as number and position of objects in the scene, are determined, at blocks 510 and 520 respectively. Responsive to the determination of the high level scene parameters (140), such as number and position of objects in the scene, criteria for camera or camera lens movement controls are dynamically determined, at block 550. The camera or camera lens movement controls are then sent to a selected camera or camera lens, at block 560, to execute the desired movements. (Spec., para. bridging pp. 8 and 9; claim 1)

As would be appreciated, similar and more difficult camera sequences such as fade-in, fade-out, pan left and right, invert orientation, zoom and pull-back, etc., may be formulated, which can be used to determine camera control criteria based on content of a scene being recorded. Furtherstill, camera sequences rules may be executed in serial or in combination. For example, a pan left-to-right and close-up may be executed in combination by the camera is panning left-to-right while the zoom level is dynamically changed to have a selected object occupy a known percentage of the viewing frame. (Spec., p.8, first para.; claims 1 and 7)

High level parameters 140 may include, for example, the number and position of objects within video image 100. Further, as illustrated, high level parameters 140 may also include speech recognition 120 and audio location processing 130. (Spec., p. 5, lines 5-8; claims 3-6 and 9-12)

Brief

Brief following Notice of Appeal dated 12 September 2005

In this exemplary example, a camera zoom level or position may be changed from its current level to a second level at a known rate of change to produce a pleasantly viewable scene transition. In this case, at step 1, the objects are located within the image. At step 2, the object closest to the center is then determined. At step 3, a frame, i.e., percentage of the scene, around the object is then determined. At step 4, the current camera position or zoom level is determined and, at step 5, an empirically derived standard of a pleasantly viewed close-up is obtained. (Spec., p. 6, para. following Table 1; claims 18 and 19)

GROUND(S) OF REJECTION TO BE REVIEWED ON APPEAL

The grounds of rejection to be reviewed on appeal are:

1. Are claims 1, 3-7, 9-12 and 16-19 anticipated under 35 USC 102(e) by Chim (U.S. patent 6,275,258)?

2. Are claims 13-15 unpatentable under 35 USC 103(a) over Chim, as applied to claim 7 above, and further in view of Steinberg et al. (U.S. patent 6,750,902) (herein 'Steinberg')?

ARGUMENT

1. Are claims 1, 3-7, 9-12 and 16-19 anticipated under 35 USC 102(e) by Chim?

Claims 1, 3-7, 9-12 and 16-19 are rejected under 35 USC 102(e) as being anticipated by Chim.

Chim discloses a voice responsive image tracking system, which continuously tracks sound emitting objects by providing sound sensing means and a processor for directing a camera

Brief

Brief following Notice of Appeal dated 12 September 2005

toward the sound source. See col. 3, line 36 through col. 4, line 3.

The relative signal levels of the sound sensing means, e.g., microphones, are continuously monitored for movement of the speaker for panning or zooming the camera, or both. See col. 4, lines 40-42.

Characteristics of audio signals are processed by an interface for determining movement of the speaker for directing the camera. As the characteristics sensed by the microphones change, the interface directs the camera toward the speaker. The interface continuously directs the camera, until the change in the characteristics stabilizes, thus precisely directing the camera toward the speaker. See Abstract; col. 4, lines 43-58.

Thus, Chim's pan and zoom operations are governed by a single instruction, i.e., to find a speaker by panning and zooming the camera until the relative strengths of audio signals from a set of microphones are stabilized.

In contrast to the teachings of Chim, Appellant's claims 1 and 7 call for selecting at least one sequence of camera parametrics from a plurality of sequences of camera parametrics, including scanning, zooming, tilting, orientating, panning, fading, zoom-and-pull-back, fade-in and fade-out.

Since Chim does not disclose selecting at least one sequence of camera parametrics from a plurality of sequences of camera parametrics, Chim fails to anticipate the rejected claims, and it is urged that the rejection be reversed.

In response to Appellant's argument, the Examiner has responded that Chim discloses selecting at least two sequences of camera parametrics, panning and zooming, citing col. 4, lines 51-54 of the reference.

The cited passage states: 'The computer pans or zooms the camera toward the microphone transmitting the increasing signal

Brief

Brief following Notice of Appeal dated 12 September 2005

level until the change in relative signal levels transmitted from the microphones stabilizes.'

The passage does not state or imply that panning and zooming are selected from a plurality of sequences of camera parametrics. In contrast, as already pointed out, panning and zooming are predetermined as the only types of camera movement to be employed, and the instructions for panning and zooming are also predetermined, i.e., to continue panning and zooming until the change in relative signal levels transmitted from the microphones stabilizes.

Thus, these instructions are not camera parametrics, i.e., these instructions are not generalized instructions for performing known camera movements. Moreover, these instructions are not selected from a plurality of sequences of camera parametrics.

The Examiner has argued that Appellant's claims do not call for each sequence to be a set of rules for determining camera movements. However, Appellant need not include the definition of a term in a claim, where the specification clearly sets forth that definition. The term 'sequence of camera parametrics' is defined in the specification as generalized instructions for performing known camera movements, at page 3, lines 10-13.

Examples of these sequences for zooming and panning are shown in Tables I and II, respectively, of the specification. Each sequence is more than just zooming or panning. Each sequence is a set of rules for determining the manner of execution of the zoom or pan operation.

Claims 1 and 7 require the selection of one or more sequences from a plurality of sequences.

In contrast, Chim does not teach or suggest selecting a sequence of camera parametrics from a plurality of such

Brief

Brief following Notice of Appeal dated 12 September 2005

sequences. Chim merely teaches interface means for controlling camera movement (zooming or panning) in response to changes in the relative strength of audio signals from a set of microphones, until the changes in the audio signals are stabilized. See, e.g., col. 4, lines 51-54 of Chim.

Moreover, Appellant's claims require 'determining criteria for executing said selected sequence of camera parametrics', whereas Chim's criteria for camera movement is not determined, but rather has been predetermined, and is always the same, i.e., the stabilization of the relative strength of audio signals from a set of microphones.

Thus, Chim does not teach or suggest 'determining criteria for executing said selected sequence of camera parametrics', as called for by Appellant's claims.

Regarding claims 3 and 9, Chim is not able to determine the number of objects in a scene. Chim only provides for determining the location of an object based on sounds detected from that object.

Thus, Chim states at col. 4, lines 63-67, that 'Using triangulation techniques and stereophonic microphones, the present invention provides a natural transition when tracking different speakers and is able to precisely determine the position of each speaker when they are talking.' (emphasis added).

In response to Appellant's argument that Chim is not able to determine the number of objects in a scene, the Examiner has stated that Chim discloses that his system can determine the current speaker from several different speakers, citing col. 4, lines 63-67. Thus, it is argued, this determination inherently includes the ability to determine the number of objects in a scene.

Brief**Brief following Notice of Appeal dated 12 September 2005**

However, scenes include objects other than speakers, such as people who never speak and inanimate objects. Chim would not be able to locate these at all, since his system relies strictly on audio signals from speakers. Moreover, Chim doesn't even provide means for keeping track of the number of speakers. Speakers could come and go from the scene without Chim's system being aware, since the speakers are not uniquely identified, but merely tracked based on audio signal levels.

The Examiner has further stated that determining the positions for objects in a room go hand-in-hand with determining how many objects are in a room.

However, Chim does not keep track of how many speakers there are in a room. Chim rather continuously tracks the changing levels of audio signals in order to find the current speaker. Chim continuously moves from one speaker to the next, without any attempt to keep track of the number or location or identity of the speakers.

Regarding claims 5 and 11, Chim does not disclose speech recognition, but only audio detection via one or more microphones. Speech recognition is commonly understood to mean conversion of speech to digital signals, not audio signals.

In response to Appellant's argument that Chim does not disclose speech recognition, the Examiner has stated that audio detection of speech is the same as speech recognition.

However, audio detection is not the same as speech recognition. Chim only monitors relative signal levels. There is no teaching or suggestion of any effort to distinguish speech from any other sound. Moreover, there would be no need to do so. Consider the case of a speakerphone which is switched between transmit and receive states by so-called 'voice activation'. Such a system is activated by sound of any kind, not strictly by voice. Thus, a kick of the table or a rustling

Brief**Brief following Notice of Appeal dated 12 September 2005**

of papers can inadvertently switch the device. To provide actual voice recognition would involve a needless level of sophistication and expense.

Regarding claim 18, Chim does not disclose, literally or inherently, determining the object closest to a predetermined location in the image. Chim merely detects the position of an object based on calculating the position (e.g., by triangulation) of an object based on the sound issuing from that object. Thus, the camera is instructed to pan to that location. There is no need, and indeed, Chim does not teach, to determine the distance of one object from another.

In response to Appellant's argument that Chim does not disclose determining the object closest to a predetermined location in the image, the Examiner has responded that in order to have the speakers captured in the center of the image, Chim would have to determine the object closest to a predetermined location or the object closest to the center of the image.

However, Chim controls camera movement in order to stabilize the changing audio levels from the microphones. This control is not the same as determining the object closest to a predetermined location or the object closest to the center of the image. Rather, this control finds the object which is emitting sound by triangulation of the audio signals from multiple strategically placed microphones. The sound-emitting object, i.e., speaker, need not be in a fixed location, but in fact may be moving about the room. See, e.g., col. 3, line 50.

Regarding claim 19, Chim does not disclose, literally or inherently, determining the object closest to the center of the image. Chim merely detects the position of an object based on calculating the position (e.g., by triangulation) of an object based on the sound issuing from that object. Thus, the camera is instructed to pan to that location. There is no need, and

Brief

Brief following Notice of Appeal dated 12 September 2005

indeed, Chim does not teach, to determine the distance of one object from another.

With respect to claims 4, 6, 10, 12, 16 and 17, these claims are patentable, *inter alia*, by virtue of their dependency on claims 1 and 7.

For all of the above reasons, claims 1, 3-7, 9-12 and 16-19 are not anticipated by Chim, and Appellant respectfully requests that the rejection be reversed.

2. Are claims 13-15 unpatentable under 35 USC 103(a) over Chim, as applied to claim 7 above, and further in view of Steinberg?

Claims 13-15 are rejected under 35 USC 103(a) over Chim, as applied to claim 7 above, and further in view of Steinberg.

Although Chim does not disclose outputting the criteria for camera movement through a serial connection, a parallel connection or a network, Steinberg is cited to show such a teaching.

While not conceding the patentability per se of claims 13-15, it is urged that these claims are patentable by virtue of their dependency on claim 7.

Accordingly, the rejection of claims 13-15 under 35 USC 103(a) is in error and Appellant respectfully requests that the rejection should be reversed.


Brief

Brief following Notice of Appeal dated 12 September 2005

CONCLUSION

The rejections of the claims are in error for the reasons advanced above. Accordingly, Appellant respectfully requests that the Board reverse the rejections, and direct the Examiner to allow all the pending claims, and find the application to be otherwise in condition for allowance.

Respectfully submitted,

A handwritten signature in cursive script that reads "John C. Fox".

John C. Fox, Reg. 24,975
Consulting Patent Attorney
203-329-6584

APPENDIX

CLAIMS ON APPEAL

1. A method for automatically controlling the movements of at least one camera or camera lens to change the prospective of a scene viewed by said at least one camera or camera lens, said method comprising the steps of:

selecting at least one sequence of camera parametrics from a plurality of sequences of camera parametrics, wherein said at least one sequence of camera parametrics is selected from the group of camera movements including scanning, zooming, tilting, orientating, panning, fading, zoom-and-pull-back, fade-in, fade-out, and wherein said parametrics provide instruction to control movement of said at least one camera or camera lens;

determining criteria for executing said selected sequence of camera parametrics, wherein said criteria are responsive to at least one high level parameter of at least one object contained in said scene; and

adjusting movement of said at least one camera or camera lens in response to said determined criteria.

3. The method as recited in claim 1 wherein said at least one high level parameter includes the number of objects within said scene.

4. The method as recited in claim 1 wherein said at least one high level parameter includes the position of at least one object within said scene.

Brief

Brief following Notice of Appeal dated 12 September 2005

5. The method as recited in claim 1 wherein said at least one high level parameter includes speech recognition of at least one object within said scene.

6. The method as recited in claim 1 wherein said at least one high level parameter includes an audio input of at least one object within said scene.

7. An apparatus for automatically controlling the movements of at least one camera or camera lens to change the prospective of a scene viewed by said at least one camera or camera lens, said apparatus comprising:

a processor operative to:

receive a first input for selecting at least one sequence of camera parametrics from a plurality of sequences of camera parametrics, wherein said at least one sequence of camera parametrics is selected from the group of camera movements including scanning, zooming, tilting, orientating, panning, fading, zoom-and-pull-back, fade-in, fade-out, and wherein said parametrics provide instruction to control movement of said at least one camera or camera lens;

receive a second input comprising at least one high level parameter of at least one object contained in said scene;

determine criteria for executing said selected sequence of camera parametrics, wherein said criteria are responsive to said at least one high level parameter; and

means for adjusting movement of said at least one camera or camera lens in response to said determined criteria.

9. The apparatus as recited in claim 7 wherein said at least one high level parameter includes the number of objects within said scene.

10. The apparatus as recited in claim 7 wherein said at least one high level parameter includes the position of at least one object within said scene.

11. The apparatus as recited in claim 7 wherein said at least one high level parameter includes speech recognition of at least one object within said scene.

12. The apparatus as recited in claim 7 wherein said at least one high level parameter includes an audio input of at least one object within said scene.

13. The apparatus as recited in claim 7 wherein said means for adjusting said camera movement effects outputting of said criteria over a serial connection.

14. The apparatus as recited in claim 7 wherein said means for adjusting said camera movement effects outputting of said criteria over a parallel connection.

15. The apparatus as recited in claim 7 wherein said means for adjusting said camera movement effects outputting of said criteria over a network.

16. The apparatus as recited in claim 7 wherein said camera movement is accomplished electronically.

17. The apparatus as recited in claim 7 wherein said camera movement is accomplished mechanically.

18. A method as in claim 1 including:

Brief

Brief following Notice of Appeal dated 12 September 2005

- locating the at least one object in an image of the scene;
- determining the object closest to a predetermined location in the image;
- adjusting the movement of the at least one camera or camera lens in response to said determination.

19. A method as in claim 1 including:

- locating the at least one object in an image of the scene;
- determining the object closest to the center of the image;
- determining the percentage of the scene around said closest object;
- adjusting the zoom level of the at least one camera or camera lens in response to said percentage determination.